

# Технические характеристики

## По вопросам продаж и поддержки обращайтесь:





Алматы (7273)495-231  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Россия (495)268-04-70

Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Киргизия (996)312-96-26-47



Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Казахстан (7172)727-132




Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93




## CAPACITORS - FILM - AC FILTERING

Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
MKP1847C AC Filtering		Capacitors, Fixed	Film	AC Filtering Metalized Polypropylene Film Capacitor Radial Type	Radial	230.0	2 uF	70 uF
						250.0	2 uF	60 uF
						275.0	2 uF	50 uF
						310.0	1 uF	35 uF
						350.0	1 uF	30 uF
MKP1847H AC Filtering		Capacitors, Fixed	Film	THB AC Filtering Metalized Polypropylene Film Capacitor Radial Type 85 °C / 85 % RH 1000 h at UNAC	Radial	250.0	1 uF	35 uF
						310.0	1 uF	22 uF
						350.0	1 uF	22 uF
						480.0	2 uF	7 uF
MKP1842		Capacitors, Fixed	Film	AC Capacitors (Metallized Polypropylene Film), 400 VAC, Axial Type	Axial	400.0	10 nF	680 nF
MKP1847 AC Filtering		Capacitors, Fixed	Film	Metallized Polypropylene Film Capacitor AC Filtering Radial Type	Radial	230.0	1 uF	70 uF
						250.0	1 uF	60 uF
						275.0	1 uF	50 uF
						310.0	1 uF	35 uF
						350.0	1 uF	30 uF
						440.0	1 uF	12 uF





## CAPACITORS - FILM - AC & PULSE







Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
KP1830		Capacitors, Fixed	Film	AC and Pulse Film Foil Capacitors KP Radial Potted Type	Radial	63.0	0.0024 uF	0.022 uF
						250.0	0.002 uF	0.015 uF
						630.0	0.0001 uF	0.01 uF
KP1836		Capacitors, Fixed	Film	AC and Pulse Film/Foil Capacitors Radial Potted Type	Radial	630.0	0.0027 uF	0.22 uF
						1000.0	0.0018 uF	0.22 uF
						1250.0	0.0012 uF	0.22 uF
						1600.0	0.00068 uF	0.1 uF
MKP1839 HQ		Capacitors, Fixed	Film	AC and Pulse Metallized Polypropylene Film Capacitors MKP Axial Type	Axial	630.0	0.1 uF	3.3 uF
						850.0	0.1 uF	1.5 uF
						1250.0	0.1 uF	1 uF
						1600.0	0.1 uF	0.68 uF
MKP1845		Capacitors, Fixed	Film	Double Metallized Polypropylene Film Capacitor Axial AC and Pulse Capacitor	Axial	160.0	33 nF	4.7 uF
						250.0	22 nF	3.3 uF
						400.0	10 nF	2.2 uF
						630.0	10 nF	680 nF
						1000.0	10 nF	220 nF
						1600.0	10 nF	220 nF
MKP383		Capacitors, Fixed	Film	AC and Pulse Double Metallized Polypropylene Film Capacitors MMKP Radial Potted Type	Radial	250.0	0.0068 uF	2.7 uF
						400.0	0.0047 uF	1.5 uF
						630.0	0.00047 uF	4.7 uF
						1000.0	0.0043 uF	1.8 uF


Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
						1400.0	0.0022 uF	0.68 uF
						1600.0	0.0027 uF	0.56 uF
						2000.0	0.001 uF	0.56 uF
						2500.0	0.001 uF	0.3 uF
MKP385		Capacitors, Fixed	Film	AC and Pulse Metallized Polypropylene Film Capacitors MKP Radial Potted Type	Radial	160.0	0.011 uF	82 uF
						250.0	0.01 uF	62 uF
						400.0	0.0043 uF	27 uF
						630.0	0.0015 uF	15 uF
						850.0	0.001 uF	10 uF
						1000.0	0.00047 uF	6.8 uF
						1250.0	0.00047 uF	5.1 uF
						1600.0	0.00047 uF	2.7 uF
						2000.0	0.00047 uF	1.6 uF
						2500.0	0.00047 uF	0.68 uF
MKP385e		Capacitors, Fixed	Film	THB AC and Pulse Metallized Polypropylene Film Capacitors High Temperature AEC-Q200 Qualified		400.0	0.047 uF	15 uF
						630.0	0.027 uF	15 uF
						850.0	0.01 uF	4.7 uF
						1000.0	0.018 uF	3.3 uF
						1250.0	0.0082 uF	2.7 uF
						1600.0	0.0039 uF	1.2 uF
						2000.0	0.001 uF	0.68 uF
						2500.0	0.001 uF	0.39 uF
KP/MKP375		Capacitors, Fixed	Film	AC and Pulse Metallized Polypropylene Film Capacitors KP/MKP Radial Lacquered Type	Radial	630.0	0.00068 uF	0.27 uF
						1000.0	0.0001 uF	0.15 uF
						1600.0	0.00068 uF	0.039 uF
						2000.0	0.0001 uF	0.022 uF
MKP1839		Capacitors,	Film	AC and Pulse Metallized Polypropylene Film Capacitors	Axial	160.0	33 nF	22 μF

Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
		Fixed		MKP Axial Type		250.0	10 nF	22 $\mu$ F
						400.0	6.8 nF	2.2 $\mu$ F
						630.0	47 pF	1.5 $\mu$ F
MKP416, MKP417, MKP418, MKP419, MKP420		Capacitors, Fixed	Film	AC and Pulse Metallized Polypropylene Film Capacitors MKP Radial Potted Type	Radial	63.0	36 nF	1.1 $\mu$ F
						160.0	24 nF	1.1 $\mu$ F
						250.0	10 nF	680 nF
						400.0	1 nF	360 nF
						630.0	1.5 nF	160 nF
MKP422		Capacitors, Fixed	Film	AC and Pulse Metallized Polypropylene Filter Film Capacitors MKP Radial Potted Type for Surge Voltage Applications	Radial	630.0	1 nF	47 nF
MKP479		Capacitors, Fixed	Film	AC and Pulse Polypropylene Film Capacitors MKP Radial Epoxy Lacquered Type	Radial	160.0	0.075 $\mu$ F	3.9 $\mu$ F
						250.0	0.047 $\mu$ F	3 $\mu$ F
						400.0	0.022 $\mu$ F	1.2 $\mu$ F
						630.0	0.01 $\mu$ F	0.68 $\mu$ F

## CAPACITORS - FILM - DC




Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
MKT1813		Capacitors, Fixed	Film	DC Film Capacitors MKT Axial Type	Axial	63.0	150 nF	22 µF
						100.0	68 nF	15 µF
						250.0	15 nF	10 µF
						400.0	6.8 nF	2.2 µF
						630.0	470 pF	1 µF
						1000.0	1 nF	470 nF
MKT1820		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Potted Type	Radial	63.0	0.22 uF	560 uF
						100.0	0.068 uF	330 uF
						160.0	4.7 uF	220 uF
						250.0	0.022 uF	120 uF
						400.0	0.01 uF	4.7 uF
						630.0	0.001 uF	1.5 uF
MKT1822		Capacitors, Fixed	Film	Metallized Polyester Film Capacitors MKT Radial Type	Radial	63.0	0.22 uF	15 uF
						100.0	0.068 uF	15 uF
						250.0	0.033 uF	3.3 uF
						400.0	0.001 uF	1.5 uF
						630.0	0.001 uF	1 uF
						1000.0	0.001 uF	0.47 uF
MKT368		Capacitors, Fixed	Film	Metallized Polyester Film Capacitors MKT Radial Epoxy Lacquered Type	Radial	63.0	0.22 uF	1 uF
						100.0	0.056 uF	6.8 uF
						250.0	0.027 uF	2.2 uF
						400.0	0.001 uF	1 uF


Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
						630.0	0.01 uF	0.47 uF
MKT370		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Potted Type	Radial	50.0	1.2 uF	1.5 uF
						63.0	0.056 uF	1 uF
						100.0	0.001 uF	0.56 uF
						250.0	0.001 uF	0.22 uF
						400.0	0.001 uF	0.1 uF
						630.0	0.001 uF	0.033 uF
MKT371		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Potted Type	Radial	63.0	0.056 uF	1.5 uF
						100.0	0.018 uF	0.47 uF
						250.0	0.0082 uF	0.12 uF
						400.0	0.0039 uF	0.039 uF
MKT372		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Potted Type	Radial	100.0	0.1 uF	0.68 uF
						250.0	0.047 uF	0.22 uF
						400.0	0.0047 uF	0.082 uF
						630.0	0.01 uF	0.047 uF
MKT373		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Potted Type	Radial	100.0	0.33 uF	15 uF
						250.0	0.15 uF	4.7 uF
						400.0	0.047 uF	2.2 uF
						630.0	0.047 uF	1 uF
MKT373M (Mini)		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Potted Type	Radial	250.0	0.1 uF	15 uF
						400.0	0.082 uF	3.9 uF
						630.0	0.01 uF	1.2 uF
MKT467, MKT468		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Lacquered Type	Radial	100.0	0.056 uF	10 uF
						250.0	0.027 uF	5.6 uF
						400.0	0.001 uF	2.2 uF
						630.0	0.01 uF	0.82 uF

Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
MKT365, MKT366, MKT367		Capacitors, Fixed	Film	DC Film Capacitor MKT Radial Lacquered Type	Radial	63.0	0.12 uF	1 uF
						100.0	0.039 uF	0.47 uF
						250.0	0.018 uF	0.15 uF
						400.0	0.0033 uF	0.056 uF
MKT369		Capacitors, Fixed	Film	Metallized Polyester Film Capacitors MKT Radial Epoxy Lacquered Type	Radial	63.0	220 nF	1 μF
						100.0	56 nF	220 nF
						250.0	27 nF	100 nF
						400.0	1 nF	33 nF
						630.0	10 nF	22 nF
MKT470		Capacitors, Fixed	Film	Metallized Polyester Film Capacitors MKT Radial Potted Type	Radial	63.0	68 nF	1.2 μF
						100.0	22 nF	470 nF
						250.0	10 nF	120 nF
						400.0	1 nF	47 nF





















## CAPACITORS - FILM - DC-LINK

Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
MKP1848 DC-Link		Capacitors, Fixed	Film	Metallized Polypropylene DC-Link Film Capacitor Automotive Grade	Radial	450.0	1 uF	400 uF
						700.0	1 uF	320 uF
						800.0	1 uF	240 uF
						900.0	1 uF	200 uF
						1100.0	1 uF	140 uF
						1200.0	1 uF	120 uF
MKP1848C DC-Link		Capacitors, Fixed	Film	Metallized Polypropylene DC-Link Film Capacitor Industrial Grade	Radial	500.0	1 uF	500 uF
						600.0	1 uF	400 uF
						800.0	1 uF	320 uF
						900.0	1 uF	240 uF
						1000.0	1 uF	200 uF
						1200.0	1 uF	140 uF
MKP1848H DC-Link		Capacitors, Fixed	Film	THB Metallized Polypropylene DC-Link Film Capacitor 85 °C / 85 % RH 1000 h at UNDC - Automotive Grade	Radial	500.0	5 uF	80 uF
						700.0	4 uF	60 uF
						800.0	3 uF	50 uF
						920.0	2 uF	40 uF
						1200.0	1 uF	22 uF
MKP1848S DC-Link		Capacitors, Fixed	Film	Low Building Height Metallized Polypropylene DC-Link Film Capacitor - Industrial Grade	Radial	500.0	5 uF	100 uF
						700.0	3 uF	50 uF
						1000.0	2 uF	30 uF
MKP1848Se DC-Link		Capacitors, Fixed	Film	Low Building Height Metallized Polypropylene DC-Link Film Capacitor - THB and Automotive Grade	Radial	500.0	4 uF	75 uF
						700.0	2 uF	50 uF
						900.0	2 uF	35 uF

Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
						1200.0	1 uF	24 uF
MKP1849 DC-Link		Capacitors, Fixed	Film	Metallized Polypropylene DC-Link Film Capacitor for High Power Automotive Application		500.0	500 uF	500 uF
						900.0	500 uF	500 uF

## CAPACITORS - FILM - RFI X/Y


Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
F1772 X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X2 Radial MKT 310 VAC - High Stability Grade	Radial	310.0	0.01 uF	2.2 uF
F1773 X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X2 Axial MKT 253 VAC - Continuous Across the Line	Axial	253.0	0.01 uF	3.3 uF
F339X1 480VAC		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X1 Radial MKP 480 VAC - 3-Phase Across the Line	Radial	480.0	0.001 uF	1 uF
F339X2 305VAC		Capacitors, Fixed	Film	THB Grade IIB Class X2 Interference Suppression Film Capacitor Radial MKP 305 VAC - Across the Line	Radial	305.0	0.1 uF	4.7 uF
F340X1 480VAC		Capacitors, Fixed	Film	THB Grade IIIB Class X1 Interference Suppression Film Capacitor Radial MKP 480 VAC - Across the Line	Radial	480.0	0.22 uF	8.2 uF
F340X2 305VAC		Capacitors, Fixed	Film	THB Grade IIIB Class X2 Interference Suppression Film Capacitor Radial MKP 305 VAC - Across the Line	Radial	305.0	1 uF	20 uF
F340Y2 305VAC		Capacitors, Fixed	Film	THB Grade IIIB Class Y2 Interference Suppression Film Capacitor Radial MKP 305 VAC - Line Bypass	Radial	305.0	0.01 uF	1 uF
MKP338 6 Y2		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class Y2 Radial MKP 300 VAC - Line to Ground Application	Radial	300.0	0.001 uF	0.47 uF
MKP339 X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitors MKP Radial Potted Type	Radial	310.0	0.001 uF	4.7 uF
F1772-4000		Capacitors, Fixed	Film	AC-Capacitors, Suppression Film Capacitors Class X2 AC 440 V (MKT) Radial Type	Radial	440.0	10 nF	1 μF

Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
F1772-4200		Capacitors, Fixed	Film	AC-Capacitors, Suppression Film Capacitors Class X2 AC 440 V (MKT) Radial Type	Radial	440.0	10 nF	1 µF
F1778X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X2 Radial MKP 310 VAC - Standard Across the Line	Radial	310.0	0.001 uF	4.7 uF
F339M X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X2 Radial MKP 310 VAC - Standard Across the Line	Radial	310.0	0.001 uF	40 uF
F339X1 330VAC		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X1 Radial MKP 330 VAC - Standard Across the Line	Radial	330.0	0.001 uF	2.2 uF
MKP338 1 X1		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X1 Radial MKP 440 VAC - Standard Across the Line	Radial	440.0	0.01 uF	1 uF
MKP338 2 X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitors MKP Radial Potted Type	Radial	310.0	0.001 uF	3.3 uF
MKP338 4 X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitors - Class X2 Radial MKP 300 VAC - Standard Across The Line X2	Radial	300.0	0.01 uF	10 uF
MKT334		Capacitors, Fixed	Film	Series Impedance Film Capacitors Radial Potted Type	Radial	275.0	10 nF	2.2 µF











## CAPACITORS - FILM - SNUBBERS








Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
MKP386M Snubber		Capacitors, Fixed	Film	Metallized Polypropylene Film Capacitor Radial Snubber Type	Radial	700.0	0.47 uF	5 uF
						850.0	0.47 uF	10 uF
						1000.0	0.47 uF	7 uF
						1250.0	0.33 uF	5 uF
						1600.0	0.22 uF	2.5 uF
						2000.0	0.047 uF	1.5 uF
						2500.0	0.047 uF	0.82 uF
MMKP 386		Capacitors, Fixed	Film	Double Metallized Polypropylene Film Capacitor Radial Snubber Type	Radial	630.0	220 nF	4.7 µF
						850.0	220 nF	2.7 µF
						1000.0	150 nF	1.8 µF
						1250.0	100 nF	820 nF
						1400.0	100 nF	680 nF
						1600.0	100 nF	560 nF
						2000.0	100 nF	470 nF
						2500.0	100 nF	270 nF

## CAPACITORS - FILM - TRIMMERS

Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
BFC2 808 .....		Capacitors, Variable	Film	Ø 5 mm Film Dielectric Trimmers	Radial	150.0	0.35 pF	27 pF
BFC2 808 .....		Capacitors, Variable	Film	Ø 7.5 mm Film Dielectric Trimmers	Radial	250.0	1.4 pF	33 pF
BFC2 808 .....		Capacitors, Variable	Film	Ø 10 mm Film Dielectric Trimmers	Radial	150.0	2.5 pF	65 pF
BFC2 809 05...		Capacitors, Variable	Film	Film Dielectric Trimmers	Radial	300.0	1.2 pF	18 pF
BFC2 809 070..		Capacitors, Variable	Film	Film Dielectric Trimmers	Radial	200.0	2 pF	100 pF
BFC2 809 080..		Capacitors, Variable	Film	Film Dielectric Trimmers	Radial	250.0	4 pF	57 pF
BFC2 809 090..		Capacitors, Variable	Film	Film Dielectric Trimmers	Radial	250.0	1.4 pF	18 pF

## CAPACITORS - FILM - LEADED/THROUGH-HOLE

Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
BFC2 808 .....		Capacitors, Variable	Film	Ø 5 mm Film Dielectric Trimmers	Radial	150.0	0.35 pF	27 pF
BFC2 808 .....		Capacitors, Variable	Film	Ø 7.5 mm Film Dielectric Trimmers	Radial	250.0	1.4 pF	33 pF
BFC2 808 .....		Capacitors, Variable	Film	Ø 10 mm Film Dielectric Trimmers	Radial	150.0	2.5 pF	65 pF
BFC2 809 05...		Capacitors, Variable	Film	Film Dielectric Trimmers	Radial	300.0	1.2 pF	18 pF
BFC2 809 070..		Capacitors, Variable	Film	Film Dielectric Trimmers	Radial	200.0	2 pF	100 pF
BFC2 809 080..		Capacitors, Variable	Film	Film Dielectric Trimmers	Radial	250.0	4 pF	57 pF
BFC2 809 090..		Capacitors, Variable	Film	Film Dielectric Trimmers	Radial	250.0	1.4 pF	18 pF
F1772 X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X2 Radial MKT 310 VAC - High Stability Grade	Radial	310.0	0.01 uF	2.2 uF
F1773 X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X2 Axial MKT 253 VAC - Continuous Across the Line	Axial	253.0	0.01 uF	3.3 uF
F339X1 480VAC		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X1 Radial MKP 480 VAC - 3-Phase Across the Line	Radial	480.0	0.001 uF	1 uF

Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
F339X2 305VAC		Capacitors, Fixed	Film	THB Grade IIB Class X2 Interference Suppression Film Capacitor Radial MKP 305 VAC - Across the Line	Radial	305.0	0.1 uF	4.7 uF
F340X1 480VAC		Capacitors, Fixed	Film	THB Grade IIIB Class X1 Interference Suppression Film Capacitor Radial MKP 480 VAC - Across the Line	Radial	480.0	0.22 uF	8.2 uF
F340X2 305VAC		Capacitors, Fixed	Film	THB Grade IIIB Class X2 Interference Suppression Film Capacitor Radial MKP 305 VAC - Across the Line	Radial	305.0	1 uF	20 uF
F340Y2 305VAC		Capacitors, Fixed	Film	THB Grade IIIB Class Y2 Interference Suppression Film Capacitor Radial MKP 305 VAC - Line Bypass	Radial	305.0	0.01 uF	1 uF
KP1830		Capacitors, Fixed	Film	AC and Pulse Film Foil Capacitors KP Radial Potted Type	Radial	63.0	0.0024 uF	0.022 uF
						250.0	0.002 uF	0.015 uF
						630.0	0.0001 uF	0.01 uF
KP1836		Capacitors, Fixed	Film	AC and Pulse Film/Foil Capacitors Radial Potted Type	Radial	630.0	0.0027 uF	0.22 uF
						1000.0	0.0018 uF	0.22 uF
						1250.0	0.0012 uF	0.22 uF
						1600.0	0.00068 uF	0.1 uF
						2000.0	0.0001 uF	0.047 uF
MKP1839 HQ		Capacitors, Fixed	Film	AC and Pulse Metallized Polypropylene Film Capacitors MKP Axial Type	Axial	630.0	0.1 uF	3.3 uF
						850.0	0.1 uF	1.5 uF
						1250.0	0.1 uF	1 uF
						1600.0	0.1 uF	0.68 uF
MKP1845		Capacitors, Fixed	Film	Double Metallized Polypropylene Film Capacitor Axial AC and Pulse Capacitor	Axial	160.0	33 nF	4.7 μF
						250.0	22 nF	3.3 μF
						400.0	10 nF	2.2 μF
						630.0	10 nF	680 nF
						1000.0	10 nF	220 nF
						1600.0	10 nF	220 nF




















Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
MKP1847C AC Filtering		Capacitors, Fixed	Film	AC Filtering Metalized Polypropylene Film Capacitor Radial Type	Radial	2000.0	1 nF	100 nF
						230.0	2 uF	70 uF
						250.0	2 uF	60 uF
						275.0	2 uF	50 uF
						310.0	1 uF	35 uF
MKP1847H AC Filtering		Capacitors, Fixed	Film	THB°C Filtering Metalized Polypropylene Film Capacitor Radial Type 85 °C / 85 % RH 1000 h at UNAC	Radial	350.0	1 uF	30 uF
						250.0	1 uF	35 uF
						310.0	1 uF	22 uF
						480.0	2 uF	7 uF
MKP1848 DC-Link		Capacitors, Fixed	Film	Metallized Polypropylene DC-Link Film Capacitor Automotive Grade	Radial	450.0	1 uF	400 uF
						700.0	1 uF	320 uF
						800.0	1 uF	240 uF
						900.0	1 uF	200 uF
						1100.0	1 uF	140 uF
						1200.0	1 uF	120 uF
MKP1848C DC-Link		Capacitors, Fixed	Film	Metallized Polypropylene DC-Link Film Capacitor Industrial Grade	Radial	500.0	1 uF	500 uF
						600.0	1 uF	400 uF
						800.0	1 uF	320 uF
						900.0	1 uF	240 uF
						1000.0	1 uF	200 uF
						1200.0	1 uF	140 uF
MKP1848H DC-Link		Capacitors, Fixed	Film	THB Metallized Polypropylene°C-Link Film Capacitor 85 °C / 85 % RH 1000 h at UNDC - Automotive Grade	Radial	500.0	5 uF	80 uF
						700.0	4 uF	60 uF
						800.0	3 uF	50 uF
						920.0	2 uF	40 uF
						1200.0	1 uF	22 uF





Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
MKP1848S DC-Link		Capacitors, Fixed	Film	Low Building Height Metallized Polypropylene DC-Link Film Capacitor - Industrial Grade	Radial	500.0	5 uF	100 uF
						700.0	3 uF	50 uF
						1000.0	2 uF	30 uF
MKP1848Se DC-Link		Capacitors, Fixed	Film	Low Building Height Metallized Polypropylene DC-Link Film Capacitor - THB and Automotive Grade	Radial	500.0	4 uF	75 uF
						700.0	2 uF	50 uF
						900.0	2 uF	35 uF
						1200.0	1 uF	24 uF
MKP338 6 Y2		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class Y2 Radial MKP 300 VAC - Line to Ground Application	Radial	300.0	0.001 uF	0.47 uF
MKP339 X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitors MKP Radial Potted Type	Radial	310.0	0.001 uF	4.7 uF
MKP383		Capacitors, Fixed	Film	AC and Pulse Double Metallized Polypropylene Film Capacitors MMKP Radial Potted Type	Radial	250.0	0.0068 uF	2.7 uF
						400.0	0.0047 uF	1.5 uF
						630.0	0.00047 uF	4.7 uF
						1000.0	0.0043 uF	1.8 uF
						1400.0	0.0022 uF	0.68 uF
						1600.0	0.0027 uF	0.56 uF
						2000.0	0.001 uF	0.56 uF
						2500.0	0.001 uF	0.3 uF
MKP385		Capacitors, Fixed	Film	AC and Pulse Metallized Polypropylene Film Capacitors MKP Radial Potted Type	Radial	160.0	0.011 uF	82 uF
						250.0	0.01 uF	62 uF
						400.0	0.0043 uF	27 uF
						630.0	0.0015 uF	15 uF
						850.0	0.001 uF	10 uF
						1000.0	0.00047 uF	6.8 uF
						1250.0	0.00047 uF	5.1 uF
						1600.0	0.00047 uF	2.7 uF

Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
MKP386M Snubber		Capacitors, Fixed	Film	Metallized Polypropylene Film Capacitor Radial Snubber Type	Radial	2000.0	0.00047 uF	1.6 uF
						2500.0	0.00047 uF	0.68 uF
						700.0	0.47 uF	5 uF
						850.0	0.47 uF	10 uF
						1000.0	0.47 uF	7 uF
						1250.0	0.33 uF	5 uF
						1600.0	0.22 uF	2.5 uF
MKT1813		Capacitors, Fixed	Film	DC Film Capacitors MKT Axial Type	Axial	63.0	150 nF	22 µF
						100.0	68 nF	15 µF
						250.0	15 nF	10 µF
						400.0	6.8 nF	2.2 µF
						630.0	470 pF	1 µF
						1000.0	1 nF	470 nF
MKT1820		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Potted Type	Radial	63.0	0.22 uF	560 uF
						100.0	0.068 uF	330 uF
						160.0	4.7 uF	220 uF
						250.0	0.022 uF	120 uF
						400.0	0.01 uF	4.7 uF
						630.0	0.001 uF	1.5 uF
						1000.0	0.001 uF	0.47 uF
MKT1822		Capacitors, Fixed	Film	Metallized Polyester Film Capacitors MKT Radial Type	Radial	63.0	0.22 uF	15 uF
						100.0	0.068 uF	15 uF
						250.0	0.033 uF	3.3 uF
						400.0	0.001 uF	1.5 uF
						630.0	0.001 uF	1 uF


Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
MKT368		Capacitors, Fixed	Film	Metallized Polyester Film Capacitors MKT Radial Epoxy Lacquered Type	Radial	1000.0	0.001 uF	0.47 uF
						63.0	0.22 uF	1 uF
						100.0	0.056 uF	6.8 uF
						250.0	0.027 uF	2.2 uF
						400.0	0.001 uF	1 uF
MKT370		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Potted Type	Radial	630.0	0.01 uF	0.47 uF
						50.0	1.2 uF	1.5 uF
						63.0	0.056 uF	1 uF
						100.0	0.001 uF	0.56 uF
						250.0	0.001 uF	0.22 uF
MKT371		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Potted Type	Radial	400.0	0.001 uF	0.1 uF
						630.0	0.001 uF	0.033 uF
						63.0	0.056 uF	1.5 uF
						100.0	0.018 uF	0.47 uF
MKT372		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Potted Type	Radial	250.0	0.0082 uF	0.12 uF
						400.0	0.0039 uF	0.039 uF
						100.0	0.1 uF	0.68 uF
						250.0	0.047 uF	0.22 uF
MKT373		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Potted Type	Radial	630.0	0.01 uF	0.047 uF
						400.0	0.047 uF	2.2 uF
						250.0	0.15 uF	4.7 uF
						100.0	0.33 uF	15 uF
MKT373M (Mini)		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Potted Type	Radial	630.0	0.01 uF	1.2 uF
						400.0	0.082 uF	3.9 uF
						250.0	0.1 uF	15 uF

Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
MKT467, MKT468		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Lacquered Type	Radial	100.0	0.056 uF	10 uF
						250.0	0.027 uF	5.6 uF
						400.0	0.001 uF	2.2 uF
						630.0	0.01 uF	0.82 uF
MMKP 386		Capacitors, Fixed	Film	Double Metallized Polypropylene Film Capacitor Radial Snubber Type	Radial	630.0	220 nF	4.7 µF
						850.0	220 nF	2.7 µF
						1000.0	150 nF	1.8 µF
						1250.0	100 nF	820 nF
						1400.0	100 nF	680 nF
						1600.0	100 nF	560 nF
						2000.0	100 nF	470 nF
2500.0	100 nF	270 nF						
F1772-4000		Capacitors, Fixed	Film	AC-Capacitors, Suppression Film Capacitors Class X2 AC 440 V (MKT) Radial Type	Radial	440.0	10 nF	1 µF
F1772-4200		Capacitors, Fixed	Film	AC-Capacitors, Suppression Film Capacitors Class X2 AC 440 V (MKT) Radial Type	Radial	440.0	10 nF	1 µF
F1778X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X2 Radial MKP 310 VAC - Standard Across the Line	Radial	310.0	0.001 uF	4.7 uF
F339M X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X2 Radial MKP 310 VAC - Standard Across the Line	Radial	310.0	0.001 uF	40 uF
F339X1 330VAC		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X1 Radial MKP 330 VAC - Standard Across the Line	Radial	330.0	0.001 uF	2.2 uF
KP/MKP375		Capacitors, Fixed	Film	AC and Pulse Metallized Polypropylene Film Capacitors KP/MKP Radial Lacquered Type	Radial	630.0	0.00068 uF	0.27 uF
						1000.0	0.0001 uF	0.15 uF
						1600.0	0.00068 uF	0.039 uF
						2000.0	0.0001 uF	0.022 uF


Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
MKP1839		Capacitors, Fixed	Film	AC and Pulse Metallized Polypropylene Film Capacitors MKP Axial Type	Axial	160.0	33 nF	22 µF
						250.0	10 nF	22 µF
						400.0	6.8 nF	2.2 µF
						630.0	47 pF	1.5 µF
MKP1842		Capacitors, Fixed	Film	AC Capacitors (Metallized Polypropylene Film), 400 VAC, Axial Type	Axial	400.0	10 nF	680 nF
MKP1847 AC Filtering		Capacitors, Fixed	Film	Metallized Polypropylene Film Capacitor AC Filtering Radial Type	Radial	230.0	1 uF	70 uF
						250.0	1 uF	60 uF
						275.0	1 uF	50 uF
						310.0	1 uF	35 uF
						350.0	1 uF	30 uF
440.0	1 uF	12 uF						
MKP338 1 X1		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X1 Radial MKP 440 VAC - Standard Across the Line	Radial	440.0	0.01 uF	1 uF
MKP338 2 X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitors MKP Radial Potted Type	Radial	310.0	0.001 uF	3.3 uF
MKP338 4 X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitors - Class X2 Radial MKP 300 VAC - Standard Across The Line X2	Radial	300.0	0.01 uF	10 uF
MKP416, MKP417, MKP418, MKP419, MKP420		Capacitors, Fixed	Film	AC and Pulse Metallized Polypropylene Film Capacitors MKP Radial Potted Type	Radial	63.0	36 nF	1.1 µF
						160.0	24 nF	1.1 µF
						250.0	10 nF	680 nF
						400.0	1 nF	360 nF
						630.0	1.5 nF	160 nF
MKP422		Capacitors, Fixed	Film	AC and Pulse Metallized Polypropylene Filter Film Capacitors MKP Radial Potted Type for Surge Voltage Applications	Radial	630.0	1 nF	47 nF
MKP479		Capacitors, Fixed	Film	AC and Pulse Polypropylene Film Capacitors MKP Radial Epoxy Lacquered Type	Radial	160.0	0.075 uF	3.9 uF
						250.0	0.047 uF	3 uF

Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
						400.0	0.022 uF	1.2 uF
						630.0	0.01 uF	0.68 uF
MKT334		Capacitors, Fixed	Film	Series Impedance Film Capacitors Radial Potted Type	Radial	275.0	10 nF	2.2 µF
MKT365, MKT366, MKT367		Capacitors, Fixed	Film	DC Film Capacitor MKT Radial Lacquered Type	Radial	63.0	0.12 uF	1 uF
						100.0	0.039 uF	0.47 uF
						250.0	0.018 uF	0.15 uF
						400.0	0.0033 uF	0.056 uF
MKT369		Capacitors, Fixed	Film	Metallized Polyester Film Capacitors MKT Radial Epoxy Lacquered Type	Radial	63.0	220 nF	1 µF
						100.0	56 nF	220 nF
						250.0	27 nF	100 nF
						400.0	1 nF	33 nF
						630.0	10 nF	22 nF
MKT470		Capacitors, Fixed	Film	Metallized Polyester Film Capacitors MKT Radial Potted Type	Radial	63.0	68 nF	1.2 µF
						100.0	22 nF	470 nF
						250.0	10 nF	120 nF
						400.0	1 nF	47 nF









## CAPACITORS - FILM - DC LINK


Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
MKP1848 DC-Link		Capacitors, Fixed	Film	Metallized Polypropylene DC-Link Film Capacitor Automotive Grade	Radial	450.0	1 uF	400 uF
						700.0	1 uF	320 uF
						800.0	1 uF	240 uF
						900.0	1 uF	200 uF
						1100.0	1 uF	140 uF
						1200.0	1 uF	120 uF
MKP1848C DC-Link		Capacitors, Fixed	Film	Metallized Polypropylene DC-Link Film Capacitor Industrial Grade	Radial	500.0	1 uF	500 uF
						600.0	1 uF	400 uF
						800.0	1 uF	320 uF
						900.0	1 uF	240 uF
						1000.0	1 uF	200 uF
						1200.0	1 uF	140 uF
MKP1848H DC-Link		Capacitors, Fixed	Film	THB Metallized Polypropylene DC-Link Film Capacitor 85 °C / 85 % RH 1000 h at UNDC - Automotive Grade	Radial	500.0	5 uF	80 uF
						700.0	4 uF	60 uF
						800.0	3 uF	50 uF
						920.0	2 uF	40 uF
						1200.0	1 uF	22 uF
MKP1848S DC-Link		Capacitors, Fixed	Film	Low Building Height Metallized Polypropylene DC-Link Film Capacitor - Industrial Grade	Radial	500.0	5 uF	100 uF
						700.0	3 uF	50 uF
						1000.0	2 uF	30 uF
MKP1848Se DC-Link		Capacitors, Fixed	Film	Low Building Height Metallized Polypropylene DC-Link Film Capacitor - THB and Automotive Grade	Radial	500.0	4 uF	75 uF
						700.0	2 uF	50 uF
						900.0	2 uF	35 uF







Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
						1200.0	1 uF	24 uF
MKP1849 DC-Link		Capacitors, Fixed	Film	Metallized Polypropylene DC-Link Film Capacitor for High Power Automotive Application		500.0	500 uF	500 uF
						900.0	500 uF	500 uF



# CAPACITORS - FILM - HIGH TEMPERATURE

Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
BFC2 809 05...		Capacitors, Variable	Film	Film Dielectric Trimmers	Radial	300.0	1.2 pF	18 pF
BFC2 809 070..		Capacitors, Variable	Film	Film Dielectric Trimmers	Radial	200.0	2 pF	100 pF
BFC2 809 080..		Capacitors, Variable	Film	Film Dielectric Trimmers	Radial	250.0	4 pF	57 pF
BFC2 809 090..		Capacitors, Variable	Film	Film Dielectric Trimmers	Radial	250.0	1.4 pF	18 pF
F340Y2 305VAC		Capacitors, Fixed	Film	THB Grade IIIB Class Y2 Interference Suppression Film Capacitor Radial MKP 305 VAC - Line Bypass	Radial	305.0	0.01 uF	1 uF
MKP338 6 Y2		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class Y2 Radial MKP 300 VAC - Line to Ground Application	Radial	300.0	0.001 uF	0.47 uF
MKP339 X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitors MKP Radial Potted Type	Radial	310.0	0.001 uF	4.7 uF
MKP385e		Capacitors, Fixed	Film	THB AC and Pulse Metallized Polypropylene Film Capacitors High Temperature AEC-Q200 Qualified		400.0	0.047 uF	15 uF
						630.0	0.027 uF	15 uF
						850.0	0.01 uF	4.7 uF
						1000.0	0.018 uF	3.3 uF
						1250.0	0.0082 uF	2.7 uF
						1600.0	0.0039 uF	1.2 uF
						2000.0	0.001 uF	0.68 uF
2500.0	0.001 uF	0.39 uF						






Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
MKT1820		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Potted Type	Radial	63.0	0.22 uF	560 uF
						100.0	0.068 uF	330 uF
						160.0	4.7 uF	220 uF
						250.0	0.022 uF	120 uF
						400.0	0.01 uF	4.7 uF
						630.0	0.001 uF	1.5 uF
						1000.0	0.001 uF	0.47 uF


# CAPACITORS - FILM - HIGH FREQUENCY

Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
KP1830		Capacitors, Fixed	Film	AC and Pulse Film Foil Capacitors KP Radial Potted Type	Radial	63.0	0.0024 uF	0.022 uF
						250.0	0.002 uF	0.015 uF
						630.0	0.0001 uF	0.01 uF
MKP385		Capacitors, Fixed	Film	AC and Pulse Metallized Polypropylene Film Capacitors MKP Radial Potted Type	Radial	160.0	0.011 uF	82 uF
						250.0	0.01 uF	62 uF
						400.0	0.0043 uF	27 uF
						630.0	0.0015 uF	15 uF
						850.0	0.001 uF	10 uF
						1000.0	0.00047 uF	6.8 uF
						1250.0	0.00047 uF	5.1 uF
						1600.0	0.00047 uF	2.7 uF
						2000.0	0.00047 uF	1.6 uF
MKP385e		Capacitors, Fixed	Film	THB AC and Pulse Metallized Polypropylene Film Capacitors High Temperature AEC-Q200 Qualified		400.0	0.047 uF	15 uF
						630.0	0.027 uF	15 uF
						850.0	0.01 uF	4.7 uF
						1000.0	0.018 uF	3.3 uF
						1250.0	0.0082 uF	2.7 uF
						1600.0	0.0039 uF	1.2 uF
						2000.0	0.001 uF	0.68 uF
						2500.0	0.001 uF	0.39 uF
MKP416, MKP417, MKP418, MKP419,		Capacitors, Fixed	Film	AC and Pulse Metallized Polypropylene Film Capacitors MKP Radial Potted Type	Radial	63.0	36 nF	1.1 uF
						160.0	24 nF	1.1 uF











Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
MKP420						250.0	10 nF	680 nF
						400.0	1 nF	360 nF
						630.0	1.5 nF	160 nF
MKP422		Capacitors, Fixed	Film	AC and Pulse Metallized Polypropylene Filter Film Capacitors MKP Radial Potted Type for Surge Voltage Applications	Radial	630.0	1 nF	47 nF
MKP479		Capacitors, Fixed	Film	AC and Pulse Polypropylene Film Capacitors MKP Radial Epoxy Lacquered Type	Radial	160.0	0.075 uF	3.9 uF
						250.0	0.047 uF	3 uF
						400.0	0.022 uF	1.2 uF
						630.0	0.01 uF	0.68 uF

## CAPACITORS - FILM - LOW ESR









Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
MKP1848 DC-Link		Capacitors, Fixed	Film	Metallized Polypropylene DC-Link Film Capacitor Automotive Grade	Radial	450.0	1 uF	400 uF
						700.0	1 uF	320 uF
						800.0	1 uF	240 uF
						900.0	1 uF	200 uF
						1100.0	1 uF	140 uF
						1200.0	1 uF	120 uF
MKP1848C DC-Link		Capacitors, Fixed	Film	Metallized Polypropylene DC-Link Film Capacitor Industrial Grade	Radial	500.0	1 uF	500 uF
						600.0	1 uF	400 uF
						800.0	1 uF	320 uF
						900.0	1 uF	240 uF
						1000.0	1 uF	200 uF
						1200.0	1 uF	140 uF
MKP1848H DC-Link		Capacitors, Fixed	Film	THB Metallized Polypropylene°C-Link Film Capacitor 85 °C / 85 % RH 1000 h at UNDC - Automotive Grade	Radial	500.0	5 uF	80 uF
						700.0	4 uF	60 uF
						800.0	3 uF	50 uF
						920.0	2 uF	40 uF
						1200.0	1 uF	22 uF
MKP1848S DC-Link		Capacitors, Fixed	Film	Low Building Height Metallized Polypropylene DC-Link Film Capacitor - Industrial Grade	Radial	500.0	5 uF	100 uF
						700.0	3 uF	50 uF
						1000.0	2 uF	30 uF
MKP1848Se DC-Link		Capacitors, Fixed	Film	Low Building Height Metallized Polypropylene DC-Link Film Capacitor - THB and Automotive Grade	Radial	500.0	4 uF	75 uF
						700.0	2 uF	50 uF
						900.0	2 uF	35 uF

Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
						1200.0	1 uF	24 uF
MKP386M Snubber		Capacitors, Fixed	Film	Metallized Polypropylene Film Capacitor Radial Snubber Type	Radial	700.0	0.47 uF	5 uF
						850.0	0.47 uF	10 uF
						1000.0	0.47 uF	7 uF
						1250.0	0.33 uF	5 uF
						1600.0	0.22 uF	2.5 uF
						2000.0	0.047 uF	1.5 uF
						2500.0	0.047 uF	0.82 uF








## CAPACITORS - FILM - RFI SAFETY RATED X/Y







Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
F1772 X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X2 Radial MKT 310 VAC - High Stability Grade	Radial	310.0	0.01 uF	2.2 uF
F1773 X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X2 Axial MKT 253 VAC - Continuous Across the Line	Axial	253.0	0.01 uF	3.3 uF
F339X1 480VAC		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X1 Radial MKP 480 VAC - 3-Phase Across the Line	Radial	480.0	0.001 uF	1 uF
F339X2 305VAC		Capacitors, Fixed	Film	THB Grade IIB Class X2 Interference Suppression Film Capacitor Radial MKP 305 VAC - Across the Line	Radial	305.0	0.1 uF	4.7 uF
F340X1 480VAC		Capacitors, Fixed	Film	THB Grade IIIB Class X1 Interference Suppression Film Capacitor Radial MKP 480 VAC - Across the Line	Radial	480.0	0.22 uF	8.2 uF
F340X2 305VAC		Capacitors, Fixed	Film	THB Grade IIIB Class X2 Interference Suppression Film Capacitor Radial MKP 305 VAC - Across the Line	Radial	305.0	1 uF	20 uF
F340Y2 305VAC		Capacitors, Fixed	Film	THB Grade IIIB Class Y2 Interference Suppression Film Capacitor Radial MKP 305 VAC - Line Bypass	Radial	305.0	0.01 uF	1 uF
MKP338 6 Y2		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class Y2 Radial MKP 300 VAC - Line to Ground Application	Radial	300.0	0.001 uF	0.47 uF
MKP339 X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitors MKP Radial Potted Type	Radial	310.0	0.001 uF	4.7 uF
F1772-4000		Capacitors, Fixed	Film	AC-Capacitors, Suppression Film Capacitors Class X2 AC 440 V (MKT) Radial Type	Radial	440.0	10 nF	1 uF



Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
F1772-4200		Capacitors, Fixed	Film	AC-Capacitors, Suppression Film Capacitors Class X2 AC 440 V (MKT) Radial Type	Radial	440.0	10 nF	1 µF
F1778X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X2 Radial MKP 310 VAC - Standard Across the Line	Radial	310.0	0.001 uF	4.7 uF
F339M X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X2 Radial MKP 310 VAC - Standard Across the Line	Radial	310.0	0.001 uF	40 uF
F339X1 330VAC		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X1 Radial MKP 330 VAC - Standard Across the Line	Radial	330.0	0.001 uF	2.2 uF
MKP338 1 X1		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X1 Radial MKP 440 VAC - Standard Across the Line	Radial	440.0	0.01 uF	1 uF
MKP338 2 X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitors MKP Radial Potted Type	Radial	310.0	0.001 uF	3.3 uF
MKP338 4 X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitors - Class X2 Radial MKP 300 VAC - Standard Across The Line X2	Radial	300.0	0.01 uF	10 uF
MKT334		Capacitors, Fixed	Film	Series Impedance Film Capacitors Radial Potted Type	Radial	275.0	10 nF	2.2 µF






## CAPACITORS - FILM - AUTOMOTIVE

Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
F1772 X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X2 Radial MKT 310 VAC - High Stability Grade	Radial	310.0	0.01 uF	2.2 uF
F339X1 480VAC		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class X1 Radial MKP 480 VAC - 3-Phase Across the Line	Radial	480.0	0.001 uF	1 uF
F339X2 305VAC		Capacitors, Fixed	Film	THB Grade IIB Class X2 Interference Suppression Film Capacitor Radial MKP 305 VAC - Across the Line	Radial	305.0	0.1 uF	4.7 uF
F340X1 480VAC		Capacitors, Fixed	Film	THB Grade IIIB Class X1 Interference Suppression Film Capacitor Radial MKP 480 VAC - Across the Line	Radial	480.0	0.22 uF	8.2 uF
F340Y2 305VAC		Capacitors, Fixed	Film	THB Grade IIIB Class Y2 Interference Suppression Film Capacitor Radial MKP 305 VAC - Line Bypass	Radial	305.0	0.01 uF	1 uF
MKP1848 DC-Link		Capacitors, Fixed	Film	Metallized Polypropylene DC-Link Film Capacitor Automotive Grade	Radial	450.0	1 uF	400 uF
						700.0	1 uF	320 uF
						800.0	1 uF	240 uF
						900.0	1 uF	200 uF
						1100.0	1 uF	140 uF
						1200.0	1 uF	120 uF
MKP1848H DC-Link		Capacitors, Fixed	Film	THB Metallized Polypropylene°C-Link Film Capacitor 85 °C / 85 % RH 1000 h at UNDC - Automotive Grade	Radial	500.0	5 uF	80 uF
						700.0	4 uF	60 uF
						800.0	3 uF	50 uF
						920.0	2 uF	40 uF
						1200.0	1 uF	22 uF








Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
MKP1848Se DC-Link		Capacitors, Fixed	Film	Low Building Height Metallized Polypropylene DC-Link Film Capacitor - THB and Automotive Grade	Radial	500.0	4 uF	75 uF
						700.0	2 uF	50 uF
						900.0	2 uF	35 uF
						1200.0	1 uF	24 uF
MKP338 6 Y2		Capacitors, Fixed	Film	Interference Suppression Film Capacitor - Class Y2 Radial MKP 300 VAC - Line to Ground Application	Radial	300.0	0.001 uF	0.47 uF
MKP339 X2		Capacitors, Fixed	Film	Interference Suppression Film Capacitors MKP Radial Potted Type	Radial	310.0	0.001 uF	4.7 uF
MKP385e		Capacitors, Fixed	Film	THB AC and Pulse Metallized Polypropylene Film Capacitors High Temperature AEC-Q200 Qualified		400.0	0.047 uF	15 uF
						630.0	0.027 uF	15 uF
						850.0	0.01 uF	4.7 uF
						1000.0	0.018 uF	3.3 uF
						1250.0	0.0082 uF	2.7 uF
						1600.0	0.0039 uF	1.2 uF
						2000.0	0.001 uF	0.68 uF
						2500.0	0.001 uF	0.39 uF
MKT1820		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Potted Type	Radial	63.0	0.22 uF	560 uF
						100.0	0.068 uF	330 uF
						160.0	4.7 uF	220 uF
						250.0	0.022 uF	120 uF
						400.0	0.01 uF	4.7 uF
						630.0	0.001 uF	1.5 uF
						1000.0	0.001 uF	0.47 uF
MKT370		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Potted Type	Radial	50.0	1.2 uF	1.5 uF
						63.0	0.056 uF	1 uF
						100.0	0.001 uF	0.56 uF
						250.0	0.001 uF	0.22 uF

Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
						400.0	0.001 uF	0.1 uF
						630.0	0.001 uF	0.033 uF

## CAPACITORS - FILM - CONSUMER







Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
BFC2 808 .....		Capacitors, Variable	Film	Ø 5 mm Film Dielectric Trimmers	Radial	150.0	0.35 pF	27 pF
BFC2 808 .....		Capacitors, Variable	Film	Ø 7.5 mm Film Dielectric Trimmers	Radial	250.0	1.4 pF	33 pF
BFC2 808 .....		Capacitors, Variable	Film	Ø 10 mm Film Dielectric Trimmers	Radial	150.0	2.5 pF	65 pF
MKT370		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Potted Type	Radial	50.0	1.2 uF	1.5 uF
						63.0	0.056 uF	1 uF
						100.0	0.001 uF	0.56 uF
						250.0	0.001 uF	0.22 uF
						400.0	0.001 uF	0.1 uF
						630.0	0.001 uF	0.033 uF
MKT373M (Mini)		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Potted Type	Radial	250.0	0.1 uF	15 uF
						400.0	0.082 uF	3.9 uF
						630.0	0.01 uF	1.2 uF

# CAPACITORS - FILM - INDUSTRIAL

Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
BFC2 808 .....		Capacitors, Variable	Film	Ø 5 mm Film Dielectric Trimmers	Radial	150.0	0.35 pF	27 pF
BFC2 808 .....		Capacitors, Variable	Film	Ø 7.5 mm Film Dielectric Trimmers	Radial	250.0	1.4 pF	33 pF
BFC2 808 .....		Capacitors, Variable	Film	Ø 10 mm Film Dielectric Trimmers	Radial	150.0	2.5 pF	65 pF
F340X2 305VAC		Capacitors, Fixed	Film	THB Grade IIIB Class X2 Interference Suppression Film Capacitor Radial MKP 305 VAC - Across the Line	Radial	305.0	1 uF	20 uF
MKT370		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Potted Type	Radial	50.0	1.2 uF	1.5 uF
						63.0	0.056 uF	1 uF
						100.0	0.001 uF	0.56 uF
						250.0	0.001 uF	0.22 uF
						400.0	0.001 uF	0.1 uF
						630.0	0.001 uF	0.033 uF
MKT373M (Mini)		Capacitors, Fixed	Film	DC Film Capacitors MKT Radial Potted Type	Radial	250.0	0.1 uF	15 uF
						400.0	0.082 uF	3.9 uF
						630.0	0.01 uF	1.2 uF
MMKP 386		Capacitors, Fixed	Film	Double Metallized Polypropylene Film Capacitor Radial Snubber Type	Radial	630.0	220 nF	4.7 µF
						850.0	220 nF	2.7 µF
						1000.0	150 nF	1.8 µF
						1250.0	100 nF	820 nF

Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
						1400.0	100 nF	680 nF
						1600.0	100 nF	560 nF
						2000.0	100 nF	470 nF
						2500.0	100 nF	270 nF

## CAPACITORS - FILM - MEDICAL

Series	Product Image	Type	Technology	Description	Mounting	Voltage (V)	Capacitance (min.)	Capacitance (max.)
BFC2 808 .....		Capacitors, Variable	Film	Ø 5 mm Film Dielectric Trimmers	Radial	150.0	0.35 pF	27 pF
BFC2 808 .....		Capacitors, Variable	Film	Ø 7.5 mm Film Dielectric Trimmers	Radial	250.0	1.4 pF	33 pF
BFC2 808 .....		Capacitors, Variable	Film	Ø 10 mm Film Dielectric Trimmers	Radial	150.0	2.5 pF	65 pF
BFC2 809 070..		Capacitors, Variable	Film	Film Dielectric Trimmers	Radial	200.0	2 pF	100 pF
BFC2 809 080..		Capacitors, Variable	Film	Film Dielectric Trimmers	Radial	250.0	4 pF	57 pF
BFC2 809 090..		Capacitors, Variable	Film	Film Dielectric Trimmers	Radial	250.0	1.4 pF	18 pF



**По вопросам продаж и поддержки обращайтесь:**

Алматы (7273)495-231  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Россия (495)268-04-70

Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Казахстан (7172)727-132

Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93